
Dufour 380 Grand Large

Price: £94,500 inc Vat

Location: Ardrossan, United Kingdom

Contact: brokerage@sunbirdyachts.eu +44 (0)1294 607074



LYING CLYDE MARINA - Sunbird International Yacht Sales are please to present the market this nearly new Dufour 38 Grand Large.

With White hull and teak cockpit this boat is well equipped with Raymarine instruments and performance sails.

Boat is ready to sail and in great condition at a fantastic price.



Click here for immediate
marine finance quote

Specification

Builder/Designer

Year: 2013
Construction: GRP

Dimensions

Beam: 3.86 meter
Max Draft: 1.9 meter

Engines

No. of Engines: 1
Make: Volvo
Model: 40hp
Fuel Type: Diesel
Hours: 295
Total Power: 40 hp
Propeller Type: 2 Blade, Bronze, Folding

Boat Name:

Nitrox

Location:

Ardrossan, United Kingdom

Inventory

CONSTRUCTION

CONSTRUCTION

Hull: Hand-laminated in polyester/glassfibre.

Decoration: Decorative stripes on the hull.

Gelcoat: NPG gelcoat with first mat impregnated with NPG resin forming an optimum barrier against osmosis.

Structure: Hull bottom counter-moulded, floors laminated into the hull.

Deck: Sandwich with injected PVC foam core

Ballast: Keel bolts bear on stainless back-plates

Rudder: Semi-elliptical shape, filled with closed-cell epoxy foam.

StockSolid stainless steel.

Non-slip deck surface: Non-slip structured deck surface.

DECK:

Hand rails: Solid wood handrails on coachroof.

Fixed toe rails: 2, wooden

Anchor locker: Moulded into the deck, self-draining with built-in windlass support and anchor chain eyebolt, lockable hatch cover.

Bow pulpits: Seat to starboard, with individual green/red navigation lights.

Stern pulpit: Lifebuoy bracket, jackstaff bracket, navigation light, and opening life-lines with hook; outboard motor bracket (option)

Stanchions: 8 with 2 rows of life-lines.

Other: Solid wooden toe-rail.

Deck light on mast

DECK FITTINGS

Shroud chain-plates: Single chainplate for cap shrouds and lower shrouds.

Safety chainplates: Safety harness chainplates in cockpit floor

Chainplates: 2 backstay chainplates

Midships mooring cleats: 2, aluminium

Mooring cleats: 4, aluminium.

Rubbing strips: 6 stainless, on hull sheerline

Fuel deck fillers: 1

Water deck fillers: 2

Mainsheet tracks: On coachroof with car.

Genoa tracks: With car.

Pulleys: 2 cheekblocks with jamcleat

Through-deck fitting: Stainless swan-neck for electrical and electronic cables.

Deck organizers: 2 deck organizers, 4-sheave (starboard) and 5-sheave (port) for halyard, sheet, and reef line returns.

Halyard winches: Halyard winch

Sheet winches: 2 sheet winches

Jamcleats: 2 rows of jamcleats port / starboard level with the companionway

Furler line jamcleats: 1 at aft end of sidedeck

Hatch covers: Halyard cover in injection-moulded polyester

COCKPIT

Cockpit bench seats: Teak covered.

Helmsman's seat: Teak covered.

Lockers: 2 large side lockers, lids fitted with gas struts and fixings for padlocks.

Helm: Wheel

Helm console: Polyester.

Engine control: Engine controls and control panel on starboard side of cockpit.

Compasses: 2 on columns

Instrumentation: At helm position (port and starboard)

Gas locker: Starboard aft locker Gas Cylinder included

Stern door: Swings up, with built-in telescopic stainless bathing ladder

BIB locker: Life raft stows in dedicated locker fitted with ram below Liferaft included stern door.

Shower: Cold water

Shore supply: Connector in port stern locker

Bathing ladder: Telescopic stainless bathing ladder

Cockpit floor: Non-slip polyester cockpit floor.

Emergency tiller: Head of rudder stock beneath helmsman's floor for fitting the emergency tiller

Upgraded Teak cockpit and roof.

ENGINES

Volvo Penta Engine power: 40 Hp

Transmission: Sail-drive

Cooling system: Heat exchanger, anti-siphon valve.

Fuel tank: Gauge on electrical distribution panel.

Fuel filter: Fuel filter with water separator.

Shut-off valve: Emergency fuel shut-off valve.

Control panel: Control panel close to helmsman, with hour meter and tachometer.

Alternator: Alternator with battery isolator.

Ventilation: Ventilation with 2 natural inlets and electric mechanical extract.

Bilge: Separate engine bilge.

Access: Access to the engine from front and both sides.

Propeller: Twin blade folding prop with spare fixed prop.

Insulation: Carefully-designed foam acoustic and thermal insulation.

WATER AND ELECTRICAL

PLUMBING

Water tanks: 2 x polyethylene water tank with inspection holes and gauges.

Electric bilge pump: With strainer, controlled from electrical distribution panel.

Manual bilge pump: Operated from cockpit.

Bilge sump: Sump built into keel, access to strainer

Hot water: Water-heater via heat-exchanger

Hot water tank: Pressurized water pump unit.

Shower waste: "Shower waste pumped direct to the sea."

ELECTRICITY

Circuit: 12 V

Distribution panel: 15 functions with circuit-breakers, voltmeter

Socket: 12 V on electrical distribution panel.

Isolator: 1 per battery set in aft stbd cabin

New upgraded batteries 2x 135 amp in 2014

Full 220 volt shore power circuit with battery charger.

LED Upgrade to all lights

Cockpit LED lights

ACCOMMODATIONS

INTERIOR

Woodwork: Real wood veneer mahogany

Floors: Moabi laminate.

Doors: Fitted with twin-bolt anti-vibration locks, cabin doors can be blocked in the open position

Mattresses: Mattresses are in quilted, anallergic fabric.

Cushions: Saloon cushions and cabin mattresses fitted with removable covers.

Head-liner: White painted head-liner.

Versions: 2 cabins/3 cabins

2 Sets Blue Saloon Covers and original Sahava covers.

GLAZING/LIGHTING

Hull: 4 fixed saloon ports

Coachroof, fixed: 2 large fixed ports

Coachroof, opening: 4 opening ports with curtains

Hatches: 4 deck hatches

Lighting: Numerous spots and reading lights.

COMPANIONWAY

Steps: Curved wooden steps

Companionway hatch: Sliding companionway hatch and door in Plexiglas with stops and lock.

Engine cover: Hinged wooden engine cover with gas strut.

Stowage: Door stows under BIB cover

Hand rails: 2

Wine cellar: Wine cellar beneath floor in companionway and cool store

FWD CABIN

Berth: 227 × 140 cm approx.

Mattress: 10 cm thick foam mattress with washable cover.

Stowage

--Below berth.

--Cubby-hole along side of hull.

--Hanging locker with shelves

--Removable wall pocket in forward bulkhead

--Bookshelf

--Shoe locker in podium

Water tank: Below berth

Access: To navigation instrument transducers

AFT HEAD

WC: Manual sea toilet

Wash-basin: Wash-basin unit with basin in ACorian®C synthetic resin.

Water: Hot and cold water, chrome-plated brass single-lever mixer tap and shower head.

Drain: Direct, via an electric pump.

Cupboards: 1 high-level 1-door storage unit with mirror

Mirror: Large mirror

Shower grating: 'Corian®' synthetic resin

Ventilation: Via deck panel or opening port.

Other: Waterproof toilet roll holder, wall pocket with Plexiglas flap and towel rail

SALOON

Saloon banquette: U-shaped banquette on port side.

Central banquette: Sliding (option)

Table: With fiddles, removable cover with pad for hot dishes

Stowage

--Accessible via the hinged seat back

--Behind port banquette back

--Bookshelf above banquette

--Cupboards and 2 spaces for stowing bottle of water

--Removable fiddles

Saloon Table conversion to make double berth

Mast foot: Stainless

GALLEY

Configurations: Longitudinal, starboard side

Worktop: Corian synthetic resin with wooden fiddle.

Sink: Stainless, twin bowls with Corian synthetic resin covers, one of which can be used as a chopping board

Water: Hot and cold pumped water with chrome-plated brass single-lever mixer tap.

Gas cooker: 2-burner cooker with oven on gimbals, with stainless rail and removable folding protective cover in 'Corian®

Crockery storage: Dowels to retain crockery when heeling.

Refrigerators: 12 V electric refrigerator with removable storage bins and built-in bottle rack

Refrigerator access: Via the worktop

Stowage

--Cubby-hole with 4 compartments, 3 of them closed, with flap and removable fiddles

--4-door under-sink unit with cutlery drawer, 2 plastic bins, waste bin, drawer beneath cool-box,

Vertical stowage for sink and other covers,

- Fitted with trap with bottle rack

- Under floor.

Waste bin: Sort compartments

Other:

Corian® bottle compartment (in saloon table or galley)

CHART TABLE

Seat: Hinged wooden seat with stowage

Cushion Leatherette

Stowage

- Large L-shaped chart table with tilt-up desk, on starboard side of companionway.

- High-level closed bookcase with 2 flaps and removable fiddles and a compartment.

- 1 flexible light

- Storage column below table with door and drawer. Wall pocket

beside seat. Storage space under table top

- Console with 2 flaps, storage space plus electrical distribution

panel, removable front panel carrying the instruments.

Radio: Radio/CD player with 2 speakers, MP3 compatible

Other: 12 V electrical distribution panel along chart table (3-cabin version).

AFT CABIN

Berth: 194 x 140 cm approx.

Mattress: 10 cm thick foam mattress with washable cover.

Fuel tank: Beneath berth, starboard side.

Water tank: Beneath berth, port side.

Stowage:

- Stowage at base of hanging locker with hinged lid

- Double hanging locker with shelf and rail for coat hangers

- Cubby-hole along hull liner with fiddle.

Steering gear access: Hinged removable cover in Moabi

Soundproofing: Double bulkhead provides acoustic and thermal insulation from adjoining engine compartment.

MAST RIGGING AND SPARS

Mast: Anodized aluminium with 2 levels of swept spreaders

Rigging: 9/10 fractional

Mast stepping: On deck

Lights: Anchor and masthead lights.

Topping lift: Boom topping lift cleat

Boom: Anodized aluminium fitted with 2 continuous reefers.

Furler: Genoa roller furler.

Standing rigging: Continuous in stainless single-strand cable, chrome-plated bronze rigging screws, comprising: forestay, twin backstay, inter. and lower shrouds.

Backstay: double

Running rigging: Running rigging in pre-stretched textile including:

main and genoa halyards, boom topping lift, main and genoa

sheets, 2 continuous reef lines, leech tensioner, 2 mainsheet car

adjustments, furling line, downhaul tackle.

Mainsail: 2 wide reef strips, with battens and bag.

Genoa: Furling genoa with UV-protection.
One Sails Performance FD2 Sails.
Main and Genoa with Black UV Strip.
Stack pack bag in Black and also original beige sprayhood
Code 0 Assymetric on Pro-Furl Spinex top down furling system.

INVENTORY

Instruments

2x Raymarine E7 Chartplotter displays one at each helm
1x Raymarine E9 Chartplotter display at the chart table
2x i70 Multi displays at each helm.
1x i60 wind display at the chart table.
Raymarine Ray 55 e with cockpit handset.
18" 4 Kw Radar.
Raymarine P70 Autopilot
VTronix Hawk Antenna.
Glomex TV aerial.
Raymarine Wifi.
General
Fenders and warps
Sprayhood in black and original beige sprayhood.
Wheel Covers in Black.
Anchor and tri-colour mast head light.
Deck and steaming light.
Shore power cable.
Clock and Barometer.
CD and Radio player.

DISCLAIMER

In this case we are acting as brokers only. The Vendor is not selling in the course of a business. Whilst every care has been taken in their preparation, the correctness of these particulars is not guaranteed. The particulars are intended only as a guide and they do not constitute a term of any contract. A prospective buyer is strongly advised to check the particulars and where appropriate at his own expense to employ a qualified Marine Surveyor to carry out a survey and / or to have an engine trial conducted, which if carried out by us shall not imply any liability for such engine on our part.

Note to seller and purchaser: If the boat you are selling or purchasing is registered, please ensure that the registration is completed after the sale of the boat. If the purchaser wishes to cancel the registration is the duty of the seller to contact the Registry and inform them that the registration is to be cancelled. If the purchaser wishes to continue with the registration, it is the duty of the purchaser to complete the relevant forms and post off the bill of sale to the Registrar.