



2 cabins - 1 Toilet



## GENERAL SPECIFICATIONS

• L.O.A	13.20 m
• Hull length	12.80 m
• L.W.L.	11.95 m
• Beam	4.28 m
• Deep draught (min)	2.00 m
• Deep ballast weight	2 650 kg
• Shallow draught (min)	1.65 m
• Shallow ballast weight	2 920 kg
• Air draught (max)	18.88 m
• Light displacement (EC)	10 070 kg
• Fuel capacity (max)	440 l
• Freshwater capacity (max)	675 l
• Engine power	54 HP Sail Drive

## ARCHITECT / DESIGNERS

- Naval Architect : Berret Racoupeau Yacht Design
- Interior design : Nauta Design

## EC CERTIFICATE REQUIRED

- Category A - 6 persons
- Category B - 7 persons
- Category C - 10 persons

## STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	45.20 m <sup>2</sup>
• Genoa (105 %)	41.30 m <sup>2</sup>
• Asymmetric spinnaker	106 m <sup>2</sup>
• I	16.20 m
• J	4.89 m
• P	15.50 m
• E	5.10 m

## STANDARD EQUIPMENT

### CONSTRUCTION

- Design made following European Directive requirements and according to EC certification
- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull join banded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Twin underhung rudders with stainless steel stock
- White coloured hull - Grey metallic hull decoration

### DECK EQUIPMENT

#### RIGGING

- Standard mast SELDEN 9/10 electro-polished aluminium installed on the deck, 2 levels of advanced cross trees - Slides
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging
- Backstay: Bridle
- Rigid boom vang
- Genoa furling system with drum on the deck
- 2 Blocks "STANDUP" on mainsheet arch
- 2 genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 fast reefing ropes
- 6 Jammers, and other control lines
- 2 rope boxes

#### WINCHES

- 2 Self-tailing genoa sheet winches (H46.2 STC)
- 1 Rigging winch self tailing (H40.2 STC)
- 2 Winch handles SpeedGrip
- 2 Winch handle boxes

#### SAILS

- Furling genoa with UV protective strip DACRON
- Mainsail (classic) written Semi battened DACRON
- Lazy Jack and Easy bag in Natural colour

#### MOORING - ANCHORING

- Self-draining chain locker - Clench bolt
- 1 Opening access cover to chain locker
- Stainless steel bow fitting 1 Stem roller
- 12 V - 1000 W Vertical electrical windlass - Remote control
- 6 Stainless steel mooring cleats - Stainless steel deck line protection

### SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 fixed stainless steel pushpits
- Stainless steel backrests fitted to helm seats
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double guardrail and stainless steel stanchions - Opening to port and to starboard in guardrail
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch

### COCKPIT

- Self-draining cockpit
- 1 Port cockpit locker (Access to technical space)
- 1 Starboard cockpit locker (Access to technical space)
- 1 Gas locker beneath starboard cockpit seat
- Natural solid wood slatted cockpit benches
- 1 Liferaft locker in cockpit sole
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm diameter - leather covered - Stainless steel guard rail - navigation instrument stand (optional instruments) - Glass holder - 2 Steering compass on binacelle
- 3 Deck holes for access to tiller system
- 1 Emergency tiller
- Engine throttle and control panel to starboard
- Wood cockpit table to starboard converts to sunbed
- 2 waterproof loudspeakers on fixed arch
- Cockpit lighting embedded in fixed arch
- 1 Saloon companionway with 4-panel saloon door

### AFT TRANSOM

- Retractable transom to cockpit
- 2 swivel helmsman's seats
- Natural solid wood decking on sun deck
- 1 Stainless steel swimming ladder - solid wood steps - folds into locker
- 1 Shower cold water
- 1 Shore power socket
- 2 wet lockers on skirt

### INTERIOR

- Fruitwood Alpi joinery
- Laminated bleached oak style parquet soles
- Fore hull and bulkhead covered with vinyl fabric ceiling
- Saloon cushions Fabrics, Marine mattresses in the cabins

### COMPANIONWAY

- Headroom: 1.98 m
- Wooden companionway with cold-moulded 3 steps
- 2 Leather covered stainless steel guard rails
- PMMA companionway hatch retracts beneath deck
- 2 Fixed deck windows

## SALOON

- Headroom: 1.95 m
- U shaped saloon bench
- Saloon table in only 1 piece, Varnished wood top with inlay, Aluminium legs
- 1 central unit with folding bench seat - Storage space - Bar
- Cubby hole lockers and storage along the hull, Storage under bench seats
- 1 Hull porthole with curtain
- 1 Fitted deckhouse side window
- 1 Fixed wrap-around window to cockpit
- 1 flush deck hatch with blind / Mosquito net

## CHART TABLE

- Control console with flap - glove boxes - Storage - Moulded wood beading
- Navigator's seat with (15°) tilting cushion to compensate for heel
- Electrics panel
- Navigation instrument panel (without instruments)
- Battery switch panel + Breaker panel

## GALLEY

- Headroom: 1.95 m
- Lengthways kitchen
- Work top grey
- 1 Sink with 2 rectangular bowls Stainless steel
- 1 Mixer tap cold water / hot
- 1 Gas cooker 2 hobs, Stainless steel oven on mountings
- 1 130 liter refrigerator, 12 V Refrigeration unit, front opening
- 1 85 liter ice box, top opening
- Cupboards, Drawers and equipped lockers
- 1 Hull porthole with curtain
- 1 Fixed wrap-around window to cockpit

## FORWARD CABIN

- Headroom: 1.95 m
- Central double bed (2.00 m x 1.55/0.60 m)
- Hanging locker, Cupboard, Cubby hole lockers - Drawer - Mirror
- 1 Dorade (Ventilation)
- 2 flush hull ports with curtains
- 2 Opening deck hatch(es) with blind / Mosquito net
- Private entrance to the starboard bathroom

## PORT CABIN

- Headroom: 1.95 m
- Double bed (1.97 m x 1.43 m x 1.07 m)
- Hanging locker, Cupboards, Lockers and cubby holes
- 1 Hull porthole with curtain
- 1 Fixed coachroof window + Curtain
- 1 Opening deck hatch with shutter / Mosquito net

## WASHROOM

- Headroom: 1.95 m
- Separate moulded shower, shower mixer tap hot / cold water, Shower guard in PMMA
- Manual marine toilet
- Washbasin - Work top - Mixing tap hot water / cold water
- 2 Mirrors
- Toilet accessories: Glass holder, Soap tray, towel, Bin, Paper dispenser
- Cupboard and cubby hole
- 1 flush deck hatch with blind / Mosquito net
- 1 Fixed coachroof window + Curtain

## ENGINE

- Engine Yanmar Diesel 54 hp Sail Drive
- Engine control - Key ignition - Control panel in cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 80 Ah
- 1 Rotation moulded diesel tank 220 L (Starboard aft) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Fixed three blade propeller
- Engine access via companionway and machinery space

## ELECTRICITY

- 12 V circuit - 220 V circuit
- 2 service batteries (2x110 Ah) - 1 Engine battery (110 Ah)
- 1 25 Ah Battery charger - 1 220V shore power - 1 Charge divider
- Electrical panel (12 V / 220 V) (Circuit breakers - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning)
- 1 12 V Socket - 7 220 V Sockets
- Wire runs for options cables

## PLUMBING

- 2 Roto moulded freshwater tanks (160 l Saloon - 330 L forward cabin) - Separate fillers - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Accumulator tank - Inline filter
- 25 L Electric water heater (Operation off engine or on 220 V electrical system)
- 1 Rigid holding tank 80 L
- Electrical shower drain pumps
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump

## GAS

- Gas bottle box in the cockpit (1 or 2 bottles, according to model)
- Pressure reducing valve and safety tap

## TRIM LEVEL

	INSPIRATION	SENSATION
2 Displays (colors) TFT ST70 RAYMARINE (Loch, Speedometer, Depth sounder, Anemometer wind indicator)	■	■
Cockpit sole natural solid wood	■	■
Radio CD player/MP3 - 2 Interior speakers - 2 Waterproof exterior speakers	■	■
Backrests to helm Chine Grey	■	■
4 Opening ports in galley and saloon windows	■	■
Panoramique window with pleated blinds	■	■
Galley: Freshwater foot pump - Sea water	■	■
Hot water cockpit shower hose - cold water	■	■
LED: Interior and exterior lighting (except: Deck searchlight)	■	■
Indirect LED lighting under high units	■	■
2 Additional service batteries (2 x 110 Amperes - 12 V) + 2 (2 x 40 Amp) batteries chargers instead of 25 Amp	■	■
Folding telescopic cockpit that functions as a sunbed - Protective cover	■	■
1 Port electric rigging winch H 40.2 STCEH		■
Saloon: Speakers Bose Acoustimass®3		■
Chart table: Universal recharging station (Cellphone, Walkman, GPS, PDA etc...)		■
Galley: 12V refrigeration unit in icebox with top opening		■
Galley: Deluxe 3-burner hob, stainless steel oven and grill		■
Galley: Fresh water purifier		■
Pump for deck washing		■
Shore freshwater supply		■
Inverter 2000 W - 12 V/220 V		■

## OPTIONS

### PACKS

#### PACK ELECTRONIC

- Starboard steering console: Multifunction color touchscreen E90W 9" RAYMARINE (GPS - chart plotter - Chart plotter - Without chart - Cartography Navionics Silver Europe included)
- PC interface RAYMARINE

#### PACK EASY DOCKING

- Bow thruster
- 2 White PCV steering wheel and console covers
- Windlass control in cockpit with chain counter
- 4 Moorings, Anchoring, 8 Fenders

#### EASY SAIL

- Genoa traveller adjustment from cockpit
- Clutches on genoa sheet foot blocks
- Backstay adjustment
- 1 Winch handle HARKEN SPEEDGRIP + Storage box

## OTHER OPTIONS

---

- 2 flag halyards
- Asymmetric spinnaker rigging + fixed bow sprit + Rigging Gennaker + Winch to starboard
- Staysail chainplate + Track self-bailing + Deck fitting
- Releasable fore stay
- Anodized mast furling - Laminated polyester tri-radial mainsail
- Gennaker on furler Code 0 laminated polyester tri-radial
- GRAPHITE deck house hood
- Cockpit Bimini top GRAPHITE
- Exterior cushions CHINE GREY
- Water maker 60 liter/Hour 12 V/220 V
- Extra water tank (160 l under port cabin berth)
- Additional 220l diesel tank (Port aft)
- 6 kVA 220 V / 50 Hz Generator - with casing
- 220 V Microwave oven
- 220 V Dishwasher 6 persons
- Heating
- Air conditioning
- De-luxe saloon folding table with up/down facility - Manual
- Double berth in saloon
- Carpet kit
- Quiet Flush electric toilet
- Storm Grey hull - Pearly white hull graphics
- TV aerial
- Saloon: 32" LCD television folding + Player DVD-MP3-CD
- Windex
- Solid wood deck
- Saloon cushions Fabrics or Ultraleather according to colour chart
- Electronic equipment RAYMARINE
  - E90W screen: Port cockpit
  - E90W screen: Chart table
  - Auto pilot ST70 (Integrated gyrocompass)
  - VHF RAY49E
  - Receiver AIS 500 (Transmitter / Receiver)
  - Pilot Smartcontroller
  - Radar 4 Kw HD (Radome)

