



1 forward cabin - 1 Toilet, 2 AFT cabin - 2 Toilet, Bow cabin (optional extra)



2 forward cabins - 2 Toilets, 2 Aft cabins - 2 Toilet - Bow cabin (optional extra)

GENERAL SPECIFICATIONS

• L.O.A	18.24 m
• Length of hull	17.75 m
• L.W.L.	16.43 m
• Width of hull	4.99 m
• Long draught (min)	2.60 m
• Long ballast weight	6 435 kg
• Short draught (min)	2.10 m
• Short ballast weight	7 150 kg
• Air draught (max)	27.50 m
• Light displacement EC	21 658 kg
• Fuel tank capacity (max)	1 080 l
• Freshwater capacity (max)	1 020 l
• Engine power	140 HP

ARCHITECTS / DESIGNERS

- Architect Naval : Berret Racoupeau
- Architecture interior : Nauta Design

EC CERTIFICATE

- Category A - 12 persons
- Category B - 13 persons
- Category C - 14 persons

STANDARD SAIL LAYOUT AND AREA

• Mainsail	89.00 m ²
• Genoa	120 % 97.50 m ²
• I	23.88 m
• J	6.88 m
• P	22.90 m
• E	6.90 m

STANDARD EQUIPMENT

CONSTRUCTION

Design made following European Directive requirements and according to EC certification

- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and stuck to hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull join screwed, stuck and banded with 1 solid wood bulwark, screwed
- Cast iron keel fixed with bolts and stainless steel veneer and stuck
- Rudder hung with glass compound stock
- White coloured hull - Grey metal hull decoration

DECK EQUIPMENT

RIGGING

- Standard 9/10 electro-polished aluminium mast - fitted to keel - 3 Advanced cross tree sets
- Retractable steps
- Boom in anodised aluminium
- Standing rigging in single-strand stainless steel
- Double backstay with bottle screws
- Rigid boom down-haul with tackle
- Genoa furler manual - Drum on deck
- 2 Pulleys standup listening on mainsheet arch fixed compound
- 2 genoa sheet tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsail foot and sheet, 2 Genoa sheets 3 reef lines
- 2 Automatic reef down - 1 Manual
- 11 sheet clutches
- 6 Bollards
- Pre-fitted for spinnaker (6 stirrup bolt plates and clutches)
- Wind indicator Windex

WINCHES

- 2 Self-tailing genoa sheet winches (H70.2 STC)
- 2 Self tailing rigging winches (H46.2 STC)
- 2 winch handle(s) Speedgrip
- 2 Winch handle boxes

SAILS

- Double crease Dacron furling genoa with UV protective coating
- Mainsail written - Full batten Dacron double crease
- Lazy-jacks - Silver colour Easy bag

MOORING - ANCHORING

- Self-bailing chain locker - Clench bolt
- Hatch giving access to chain locker in sail hold / Bow cabin
- Stainless steel bow fitting 2 rollers
- Vertical electrical windlass 24 V - 2000 W - Remote control
- 8 Stainless steel mooring cleats - Stainless steel deck line protection

SAIL LOCKER

- Access through deck hatch
- Stainless steel ladder - solid wood steps
- 2 Cubby hole lockers

PERSONNEL GUARDS

- 1 Half-open stainless steel forward pulpit - Step
- 2 stainless steel aft pushpits - 2 Stainless steel helmsman seat balconies
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double guardrail and stainless steel stanchions - Gangway opening to port and to starboard
- 2 Stainless steel guardrails on deck
- 2 Stainless steel hand rails on fixed arch at cockpit outlet

COCKPIT

- Cockpit bottom self bailing
- 2 Lockers under tiller seating
- 2 Rope lockers - Step plate in front of steering station
- Cockpit benches decked in natural solid wood
- 2 Steering wheel consoles: Stainless steel steering wheels - 1100 mm diameter - leather covered - Brake bar - rudder systems on partition - metal cable transmission system - navigation instrument stand (optional instruments) - 2 Steering compass on binacle - Glass holder in stainless steel
- Silver PVC helmsman backseat on stainless steel balconies
- Deck hole for access to tiller system - 1 Emergency tiller
- Engine control and control panel to starboard
- Solid wood cockpit table - 2 flaps - guy wash boards - glove boxes - bottle holder - 12 V socket - lamp with shade - Switch
- 2 water-proof loudspeakers below fixed arch
- 2 Lamps under fixed arch (Overhead lights)
- Folding companionway door and PMMA sliding companionway hatch - Electric locking system

SUN DECK AND UPPER STERN

- Open access protected by stainless steel guardlines
- Natural solid wood lathing
- Swelling/24V electric deflation, for dinghy
- 1 Liferaft locker on starboard side
- 1 Gas locker on port side
- 2 Wet lockers at skirt bottom
- Additional integrated lifting system
- 1 Stainless steel swimming ladder - solid wood steps
- 1 Shower spray hot water /cold water
- 1 220 V shore power

FITTINGS

- Light oak colour Alpi Mahogany
- Parquet type laminated floors
- Deck, hull and front bulkhead inner moulding coated with vinyl fabric ceiling

COMPANIONWAY

- Height to deck beam: 2,08 m
- Wooden companionway with hung steps in moulded wood with non-slip surface
- Stainless steel stairway ramps - leather covered
- PMMA canopy - Access to curtains

Version 1 forward cabin

FORWARD CABIN

- Height to deck beam: 2,10 m
- Central double bed (2,05 x 1,22 x 1,66 m) - Lathed bed base - Marine mattress
- Night tables - Cubby hole lockers - Drawers - glove boxes - 2 Lockers under the bed (Opened by gas cylinder)
- Wardrobe - Cupboard - Shoe cabinet
- 1 Dressing table with mirror - 1 Removable seat
- Mirror Gateway
- 2 Hull portholes with curtain
- 3 Opening deck hatch(es) with blind / mosquito nets

STARBOARD FORWARD WASHROOM

- Height to deck beam: 2,00 m
- Private washroom accessible from forward cabin
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower guard PMMA
- Manual marine toilet
- Washbasin - Synthetic resin worktop - Mixing tap hot water/cold water
- 2 Mirrors
- Toilet accessories: Glass holder - soap tray - towel rail - peg - Rubbish bin - Paper dispenser
- Cupboard - Cubby hole locker
- 1 Opening deck hatch(es) with blind/Mosquito net

Version 2 forward cabins

FORWARD CABINS

- 2 Symmetrical cabins
- Height to deck beam: 2,07 m
- Double bed (2,05 x 1,50 m) - Lathed bed base - Marine mattress
- Hanging locker - Cubby hole lockers - Drawers - glove boxes
- Mirror Gateway
- 1 Hull portholes with curtain
- 1 Opening deck hatch(es) with blind/Mosquito net

WASHROOMS FORWARD

- Symmetrical bathrooms
- Height to deck beam: 2,00 m
- Private bathrooms accessible from forward cabins
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower guard PMMA
- Manual marine toilet
- Washbasin - Synthetic resin worktop - Mixing tap hot water/cold water
- Mirror
- Toilet accessories: Glass holder - soap tray - towel rail - peg - Rubbish bin - Paper dispenser
- Cupboard - Cubby hole locker
- 1 Opening deck hatch(es) with blind/Mosquito net

SALOON

- Height to deck beam: 2,03 m
- U shaped saloon bench - Fabric upholstery
- Retractable central seat - Fabric upholstery
- Swivel foldaway saloon table wood - Laquered table top and inlay
- Sofa with armrests
- 4 Matching decorative cushions
- Cupboards - Cubby hole lockers and storage along the hull - Bar - Storage space under seats and sofa
- 1 Panoramique window with pleated blinds
- 2 Hull portholes with curtain
- 2 fixed deckhouse side windows with pleated blinds
- 4 Opening portholes in fixed side windows

CHART TABLE TO STARBOARD

- Control console with flap - glove boxes - Storage - Moulded wood beading
- Helmsman seat with cushion and backrest
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
- Radio CD player/Stereo MP3 - 2 Loud speakers
- 1 Cupboard - 1 Oilskins locker

GALLEY TO PORT

- Height to deck beam: 2,05 m
- U-shaped kitchen
- Synthetic resin worktop
- Rectangular stainless steel sink - Rectangular stainless steel drainer - Cutting board
- 1 Mixer tap cold water / hot
- 1 Gas cooker 3 hobs, Stainless steel toaster oven on blocks - safety bar
- 1 Refrigerator 130 litre, Refrigeration unit 24 V, 2 speed compressor, front opening
- 1 Ice box 100 litre, Refrigeration unit 24 V, freezer, top opening
- Drawer with slides and buffers, Cupboards, equipped lockers (shelves with guy wash boards, tea towel holder, bottle holder)
- Embedded bin - Refuse chute access
- 1 Porthole(s) opening onto coaming with curtain

STARBOARD AFT CABIN

- Height to deck beam: 1,90 m
- 2 single beds, can be joined to make a double bed (2,00 x 0,86 m + 2,00 x 0,80 m) - Slat mattresses - Marine mattress
- Hanging locker - Cubby hole lockers - glove boxes
- 1 Dressing table with mirror
- Mirror Gateway
- 1 Porthole(s) opening onto cockpit with curtain
- 1 Porthole(s) opening onto coaming with curtain
- 1 Fixed glazing on transom extension with curtain
- 1 fore porthole(s) opening towards transom extension fixed glazing

STARBOARD AFT WASHROOM

- Height to deck beam: 2,05 m
- Private wash room accessible from starboard aft cabin
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower guard PMMA
- Manual marine toilet
- 1 Rigid sewage water tank 80L
- Washbasin - Synthetic resin worktop - Mixing tap hot water/cold water
- Mirror
- Toilet accessories: Glass holder - soap tray - towel rail - peg - Rubbish bin - Paper dispenser
- Cupboard - Cubby hole locker
- 2 Porthole(s) opening onto coaming with curtain

PASSAGEWAY TO PORT

- Technical area to house electrical equipment controls (Standard or Options)

PORT AFT CABIN

- Height to deck beam: 1,90 m
- 1 Double bed (2,05 x 1,40 x 1,53 m) - Lathed bed base - Marine mattress
- Hanging locker - Cubby hole lockers - glove boxes
- Mirror Gateway
- 1 Porthole(s) opening onto cockpit with curtain
- 1 Porthole(s) opening onto coaming with curtain
- 1 Fixed glazing on transom extension with curtain
- 1 fore porthole(s) opening towards transom extension fixed glazing

PORT AFT WASHROOM

- Height to deck beam: 2,05 m
- Wash room accessible from the port aft cabin and from the saloon
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower guard PMMA
- Manual marine toilet
- 1 Rigid sewage water tank 80L
- Washbasin - Synthetic resin worktop - Mixing tap hot water/cold water
- Mirror
- Toilet accessories: Glass holder - soap tray - towel rail - peg - Rubbish bin - Paper dispenser
- Cupboard - Cubby hole locker
- 1 Porthole(s) opening onto coaming with curtain

ENGINE

- Engine 140 CV Volkswagen
- Engine electrical control and switchboard in the cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intakes and 1 pressured air outlets
- 1 Alternator 12 V: 120 Amperes
- 1 Alternator 24 V: 80 Amperes
- 2 Rotation moulded diesel tanks (240 litres under aft berth to port + 240 litres under aft berth to starboard) - Electronic gauge - Low level alarm - 2 Deck fillers - Tank selection with 1/4 by-pass valves
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line on engine seat
- 3 retractable blades propeller
- 1 Engine access through companionway (Opening by 2 gas cylinders) - Engine access through alleyways

ELECTRICITY

- 12 V circuit
- 24 V circuit
- 220 V circuit
- Ducts with messenger lines for threading cables of electrics or navigation electronics optional extras
- 1 Electrical panel 220 V: Breaker - Voltmeter
- 1 Electrical panel 12 V 24 V: Breaker - Voltmeter - Water gauge - Fuel gauge - Charging current and consumption current measurement 24 V

12 V circuit

- Standard equipment: 12 V socket, Hifi
- Getting under way Optional extra: Hifi, VHF
- 1 Battery for engine 12 V - 110 Amperes
- 1 Service battery 12 V - 110 Amperes
- Battery switch
- Charge divider 12 V
- 1 Battery charger 12 V: 25 Amperes
- 2 Socket(s) 12 V (Chart table x 1 - Cockpit table x 1)

24 V circuit

- Standard equipment: Electric windlass - Pumps - Navigation lights - Lighting - Refrigeration units
- Getting under way Optional extra: Bow thruster
- 1 Service 12V battery set - 280 Amperes (4 Batteries 12 V - 140 Amperes)
- Battery switch
- Charge divider 24 V
- 1 Battery charger 24 V: 60 Amperes

220 V circuit

- Standard equipment: Sockets 220 V - Water heater
- Getting under way Optional extra: Electrical cooker - Microwave oven - Water maker - Ice maker - Air conditioning - Hood - Washing machine - Dishwasher
- Sockets 220 V:
 - Version 3 cabin: 21 Sockets (Forward cabin x 5 - Fore washroom x 1 - Port saloon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 2 - Port aft washroom x 1 - Starboard aft cabin x 3 - Starboard aft washroom x 1)
 - Version 4 cabin: 19 Sockets (2 Forward cabins x 2 - Port saloon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 3 - Starboard aft washroom x 1)

Lighting

- Interior lights LED:
 - Overhead lights, Indirect lighting, Adjustable wall-mounted luminaires and reading lamps
 - Courtesy lamps in cupboards and wardrobes
- Outside lighting:
 - LED: Lamps under fixed arch
 - Incandescent: Deck searchlight at mid mast, Projector boom bar, Shade lamp on cockpit table
- Navigation lights LED - Control on chart table and on starboard helm
 - 1 Mooring light at mast top
 - 1 Automatic steaming light at mid mast
 - 1 Port navigation light, 1 Starboard on front balcony
 - 1 Sternlight on pushpit to starboard

PLUMBING

- 2 rotation moulded freshwater tanks (2 x 330 litres in square inner moulding) - 2 Deck fillers - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Expansion chamber - System protection filter
- Electric water heater 60 L
- 2 Rigid sewage water tank 2 x 80L
- Automatic electric shower drain pumps - time delay
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- Gas cylinder(s) locker in port aft skirt
- Pressure reducing valve and safety tap

TRIM LEVEL

	AVANTAGE	ELEGANCE
Electronics - 2 Notches colors TFT ST70 RAYMARINE (Loch - Speedometer - Depth sounder - Weather vane - Anmomtre)	■	■
Releasable fore-stay chain-plate	■	■
Cockpit bottom decked in natural solid wood	■	■
1 Port electric rigging winch H46.2 STCEH	■	■
Supplementary diesel tanks (2 x 300 litres)	■	■
Spare water tank (300 litres)	■	■
Saloon: Speakers BOSE ACOUSTIMASS® 3	■	■
Shore freshwater supply	■	■
Galley: Fresh water purifier	■	■
Galley: Extractor hood	■	■
Galley: Electric pump - Sea water	■	■
Version 3 cabin: Electric toilet - Toilet before	■	■
Version 4 cabin: Electric toilet - Aft toilet to starboard	■	■
24 V circuit: 2 service batteries (4 x 140 Amperes - 12 V) + Additional battery charger(s) 60 amperes	■	■
Pump for deck washing		■
Safe		■
Chart table: Universal recharging station		■
Chart table: Drawer refrigerator		■
2 glove boxes - 2 Magazine racks - 2 Helm parcel tray		■
Public room side table		■
Inverter 2000 W - 24 V / 220 V		■
Electric lateral blinds		■
Powered entrance door - Remote control		■

OPTIONS

PACKS

PACK ELECTRONIC RAYMARINE

- Adjustable and swiveling tracer support on cockpit table
- Cockpit: Multifunction screen E140 colour 14" (GPS, tracker, Chart tracker, Without chart)
- Cockpit: Auto pilot ST70 - Piston LS 50 - Gyrocompass - Keyboard command
- Chart table: Multifunction screen E120 colour 12.1" (GPS, tracker, Chart tracker, Without chart)
- Chart table: PC interface

PACK EASY DOCKING

- Bow thruster
- Windlass control in cockpit with chain counter
- 2 Steering wheels covers Silver
- Fenders protective covers Silver
- Mooring kit (Anchor Delta 40 kg - 100M of 12mm diameter chain) - 4 Mooring ropes - 8 Fenders

OTHER OPTIONS

Navigation electronics RAYMARINE

- Remote pilot control, Wireless instruments repeater Smartcontroller
- Radar (radome only)
- Receiver AIS
- VHF

Rigging - Sails

- Anodized mast furling aluminium - Mylar Taffetas tri-radial cut mainsail and genoa
- Hydranet sail for classic mast: Hydranet tri-radial cut mainsail and genoa
- Hydranet flying staysail on furler and track self-bailing
- Fixed staysail furler with Hydranet staysail and automatic turning gear rail
- Code 5 in Stormlight
- Asymmetric spinnaker rigging - Asymmetric spi
- Symmetrical spinnaker rigging - Boom
- 2 flag halyards
- Easy Sail (Genoa traveller adjustment from cockpit, Clutches on genoa sheet foot blocks, Hydraulic backstay at centre, Winch handle Harken Speedgrip, Winch handle box additional, Emergency rope cutter)

Winches

- Electrical rigging winch to starboard H46.2 STCEH
- 2 Electric genoa sheet winches H70.2 STCEH

Bow cabin

In place of the sail hold

- Access through deck hatch - Stainless steel ladder, solid wood steps
- Height to deck beam: 1,93 m
- 2 Bunk beds (Bottom bunk 1,95 x 0,65 x 0,44 - Folding upper bed 1,95 x 0,65 x 0,55) - Foam mattress - Cover PVC
- Hanging locker - Storage locker - Cupboard
- Manual toilet - Washbasin - Shower head mixer tap hot/cold water - Shower tray

Hull - Deck

- Steel blue colour hull - Hull decorated in pearl
- Solid wood decked catwalks
- Cradle - Instrument holder davit
- Gangway - Hydraulic crane
- Gangway ladders
- Silver deck house hood
- Cockpit Bimini top Silver
- PVC cockpit cushions

Interior equipment

- Water maker 100 L/H
- Generator 9.5 KVA
- gel batteries
- Heating
- Air conditioning
- Microwave oven
- Dishwasher
- Washing machine
- Ice maker
- 12 person crockery set
- Electric toilet (additional)
- Additional rigid toilet reserves
- Television LCD 32" on elevator in square - Player DVD / CD / MP3
- Television LCD 20" in master cabin or starboard aft cabin - Player DVD / CD / MP3
- TV aerial
- Floors varnishes
- Square trim fabric, Amaretta Kx or leather following colour chart

